

ARC EDGE

QUICK START GUIDE




Step 1: Setup Pack Upright

Position bag upright with front facing you for ideal positioning for setup.




Step 2: Prep Arista 710

Open top pouch and lift the white Arista 710 module exposing the Ethernet, power, and antenna connections.



Step 3: Power Sources

Open bottom pouch completely exposing the 4X power sources. Turn on all 4 power sources by pressing the (AC) buttons and/or the USB button. Makes sure the AC power on the display is blinking and USB and Power buttons have white light. Open back panel pouch for battery cooling. *Long Press AC button to disable auto off*




Step 4: Power up Arista 710

Locate and remove the power cord from the bottom pouch labeled Arista and plug the AC connector into an active power source. Plug the other end into the Arista 710 module and screw the collar finger-tight.

ARC EDGE

QUICK START GUIDE



Step 5: Connect Antennas

Locate the 2 antennas in the top pouch in the zippered pocket and connect them to the Arista module, and point them upwards.




Step 6: Connect Starlink

Power on the Starlink system using the battery power controls and place the Starlink dish with a clear view of the sky oriented north whenever possible. Retrieve the Starlink network cables from the back panel Starlink pouch, the power cable from the Stargear bag behind the table in the center console and connect the Starlink and router according to the labeled cable connections.

Using the provided ethernet cable, connect the working Starlink router to the Arista 710 module. Plug one end into the Starlink router ethernet adapter and the other end into the GE6 port on the Arista 710.

Starlink may take up to 15 minutes to fully provision and establish connectivity. Long press the AC power button to disable auto-off mode.




Step 7: Check Arista Status

Check if the light in front of the Arista 710 module is green to confirm connection. Once you see the green light your system is online and ready for use. For further features and optional integration please refer to the guide on the tablet or the support documentation online at orb.aero/arc-edge-support.

ARC EDGE

QUICK START GUIDE



Step 8: Connect Tablet to Wifi

On the Samsung tablet, open Settings > Connections > Wi-Fi, select vc-wifi, enter the password **vcsecret** and wait for the Wi-Fi icon to appear.

ARISTA 710

STARLINK



POWER SOURCES

ARC EDGE

QUICK START GUIDE

ARC EDGE

Default Setup

